

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name: **WL-cid**  
UFI: RS68-RAA4-M00F-G2Y1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Disinfecting agent  
Intended purpose: Solution ready for use for the disinfection (internal and external surfaces) of medical and dental hollow part instruments.  
Uses advised against: None at intended use.  
Note: The product is intended for professional users.

### 1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ALPRO MEDICAL GMBH  
Mooswiesenstraße 9  
D-78112 St. Georgen (Germany)  
Telephone: +49 7725 9392-0  
Telefax: +49 7725 9392-91  
E-mail: [alpro@alpro-medical.de](mailto:alpro@alpro-medical.de)  
Internet: [www.alpro-medical.com](http://www.alpro-medical.com)

E-mail address for the competent person responsible for the safety data sheet: [doku@alpro-medical.de](mailto:doku@alpro-medical.de)

### 1.4. Emergency telephone number

In-house emergency telephone number: +49 7725 9392-0  
Monday – Friday from 08:00 am to 04:30 pm (UTC+1);  
for chemical information and legal information on hazardous substances only  
Poison centre: +49 761 19240  
Poisoning information centre, Freiburg, Germany  
(24 h / 7 d), English is spoken

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Aerosol 2; H223+H229	On basis of test data (Ignition distance test)
Eye Irrit. 2; H319	Calculation method

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

### 2.2. Label elements

Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:



# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

Signal word:		Warning
Hazard components for labelling:		-
H-phrases:	H223 H229 H319	Flammable aerosol. Pressurised container: May burst if heated. Causes serious eye irritation.
P-phrases:	P210 P211 P251 P280 P305+P351+P338 P410+P412	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wear eye protection/face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

No further hazards known.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Chemical characterisation: Mixture of substances listed below with non-hazardous additions in aqueous solution and propellant.

#### Hazardous ingredients

Chemical name	Identification numbers	Classification in accordance with Regulation (EC) No 1272/2008	Weight %
Ethanol	CAS No: 64-17-5 EC No: 200-578-6 Index No: 603-002-00-5 REACH Registration No: 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	≥ 50 - < 70
Carbon dioxide	CAS No: 124-38-9 EC No: 204-696-9	Press. Gas L; H280	≥ 1 - < 5
Propan-2-ol	CAS No: 67-63-0 EC No: 200-661-7 Index No: 603-117-00-0 REACH Registration No: 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	≥ 0.2 - < 1
Phosphoric acid	CAS No: 7664-38-2 EC No: 231-633-2 Index No: 015-011-00-6 REACH Registration No: 01-2119485924-24-XXXX	Met. Corr. 1; H290 Acute Tox. 4; H302 Skin Corr. 1B; H314	≥ 0.2 - < 1

# Safety data sheet

## according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**

Issue/Revision: 20.05.2021

Print date: 17.09.2021

Version: 2.4

Replaces version: 2.3

Methanol	CAS No: 67-56-1 EC No: 200-659-6 Index No: 603-001-00-X REACH Registration No: 01-2119433307-44-XXXX	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H311 Acute Tox. 3; H331 STOT SE 1; H370  <i>Specific concentration limits:</i> <i>STOT SE 1; H370: C ≥ 10 %</i> <i>STOT SE 2; H371: 3 % ≤ C &lt; 10 %</i>	≥ 0.2 - < 1
D-gluconic acid, compound with N,N"-bis(4-chlorophenyl)-3,12-diimino-2,4,11,13-tetraazatetradecane-diamidine (2:1)	CAS No: 18472-51-0 EC No: 242-354-0 REACH Registration No: 01-2119946568-22-XXXX	Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  <i>M-Factor acute: 10</i> <i>M-Factor chronic: 1</i>	< 0.2
N,N-Didecyl-N-methylpoly(oxyethyl)ammonium propionate	CAS No: 94667-33-1 EC No: 619-057-3 REACH Registration No: 01-2119950327-36-XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  <i>M-Factor acute: 10</i> <i>M-Factor chronic: 1</i>	< 0.2
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS No: 2372-82-9 EC No: 219-145-8 REACH Registration No: 01-2119980592-29-XXXX	Acute Tox. 3; H301 Skin Corr. 1B; H314 STOT RE 2; H373 Aquatic Acute 1; H400 Aquatic Chronic 1; H410  <i>M-Factor acute: 10</i>	< 0.2
Formic acid	CAS No: 64-18-6 EC No: 200-579-1 Index No: 607-001-00-0 REACH Registration No: 01-2119491174-37-XXXX	Flam. Liq. 3; H226 Acute Tox. 3; H331 Acute Tox. 4; H302 Skin Corr. 1A; H314  <i>Specific concentration limits:</i> <i>Skin Corr. 1A; H314: C ≥ 90 %</i> <i>Skin Corr. 1B; H314: 10 % ≤ C &lt; 90 %</i> <i>Skin Irrit. 2; H315: 2 % ≤ C &lt; 10 %</i> <i>Eye Irrit. 2; H319: 2 % ≤ C &lt; 10 %</i>	< 0.1

Full text of hazard classes and H-phrases: see SECTION 16.1.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information:	First aider: Pay attention to self-protection!
Following inhalation:	Move affected person into fresh air and keep still and warm. In case of continued complaints seek medical advice.
Following skin contact:	Wash skin immediately with plenty of water and soap. In case of skin reactions, consult a physician.
Following eye contact:	Flush eyes immediately with flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Consult an ophthalmologist.

# Safety data sheet

## according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

Following ingestion: Rinse mouth with water. Let drink plenty of water. Do not induce vomiting.  
Consult a physician immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder, carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: Full water jet

### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

### 5.3. Advice for firefighters

Special protective equipment: Wear self-contained breathing apparatus.

Further information: Cool endangered containers with water spray jet.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Use personal protective equipment. See SECTION 8.2.

Avoid skin and eye contact. Do not breathe vapours. Remove all sources of ignition. Provide adequate ventilation. Special danger of slipping by leaked/spilled product. Evacuate danger area. Observe emergency plans. Consult experts.

#### For emergency responders

Use personal protective equipment. See SECTION 8.2.

### 6.2. Environmental precautions

Do not discharge into drains or rivers.

### 6.3. Methods and material for containment and cleaning up

#### Containment

For large spills, dyke spilled material or otherwise contain material to ensure runoff does not reach a waterway. Cover or seal drains.

#### Cleaning up

Wipe up small amounts with absorbent material (e.g. cloth, fleece). Absorb large amounts with liquid-binding material (sand, diatomaceous earth, universal binder, sawdust). Collect in suitable, closed containers for disposal. Clean contaminated surfaces thoroughly.

#### Other information

Inappropriate containment and cleaning methods are not known.

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006**



Trade name: **WL-cid**  
 Issue/Revision: 20.05.2021  
 Print date: 17.09.2021

Version: 2.4  
 Replaces version: 2.3

**6.4. Reference to other sections**

Information on safe handling see SECTION 7.1.  
 Information on personal protective equipment see SECTION 8.2.  
 Information on disposal see SECTION 13.

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Precautions**

Avoid contact with skin and eyes. Avoid breathing aerosols and vapours. Keep away from sources of ignition. Provide adequate ventilation. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

**Advice on general occupational hygiene**

When using do not eat, drink or smoke. Wash hands before breaks and at end of work. Keep away from food and drink.

**7.2. Conditions for safe storage, including any incompatibilities**

Requirements for storage rooms and vessels: The official regulations regarding the storage of pressurized containers have to be considered. Keep container in a cool, well-ventilated place.

Advice on common storage: Not necessary

Further information on storage conditions: Recommended storage temperature: 0 °C – 25 °C

Storage class ([DE] TRGS 510): LGK 2B Aerosol dispensers and lighters

**7.3. Specific end use(s)**

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

**Industry and sector specific guidance**

[DE] TRGS 525 – Hazardous substances in medical care facilities (Section 7 Activities with disinfectants); Issue: September 2014;  
 Source: GMBI 2014 page 1294-1307 of 13.10.2014 [No 63]; www.baua.de

[DE] DGUV rules 107-002 (former BGR 206) - Disinfection works in health service  
 Issue: July 1999; Source: www.dguv.de/publikationen

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

Country	Limit values				Legal basis	Remarks
	Long term (8 hours)		Short term (15 minutes)			
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>		
Ethanol (CAS No: 64-17-5)						
EU						no limit value specified
UK	1000	1920	-	-	EH40	

# Safety data sheet

## according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**

Issue/Revision: 20.05.2021

Print date: 17.09.2021

Version: 2.4

Replaces version: 2.3

Carbon dioxide (CAS No: 124-38-9)						
EU	5000	9000	-	-	2006/15/EG	-
UK	5000	9150	15000	27400	EH40	
Propan-2-ol (CAS No: 67-63-0)						
EU						no limit value specified
UK	400	999	500	1250	EH40	
Methanol (CAS No: 67-56-1)						
EU	200	260	-	-	2006/15/EG	Skin
UK	200	266	250	333	EH40	Sk
Formic acid (CAS No: 64-18-6)						
EU	5	9	-	-	2006/15/EG	-
UK	5	9.6	-	-	EH40	
Phosphoric acid (CAS No: 7664-38-2)						
EU	-	1	-	2	2006/15/EG	-
UK	-	1	-	2	EH40	

### Used abbreviations, symbols, numerals and explanations in column „Remarks“

- Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.
- Skin A significant uptake of the substance through the skin is possible.

### Biological limit values

Country	Parameter	Limit value	Test material	Sampling time	Legal basis
Propan-2-ol (CAS No: 67-63-0)					
Germany	Acetone	25 mg/l	Whole blood	End of exposition, resp. end of shift	TRGS 903
	Acetone	25 mg/l	Urine	End of exposition, resp. end of shift	TRGS 903
Methanol (CAS No: 67-56-1)					
Germany	Methanol	15 mg/l	Urine	End of exposition, resp. end of shift; for long-term exposure: after several preceding shifts	TRGS 903

### Information on monitoring procedures

BS EN 482:2012-04-30; Title: Workplace exposure - General requirements for the performance of procedures for the measurement of chemical agents;  
British version of EN 482:2012

BS EN 689:1996-04-15; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy;  
British version of EN 689:1995

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents;  
British version of EN 14042:2003

## 8.2. Exposure controls

### Appropriate engineering controls

#### Technical and organisational protective measures

The eyewash station (or eyewash bottle) must be located near the workplace.

### Personal protective equipment

Eye/face protection: Safety glasses with side protection according to EN 166

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

## Skin protection:

Hand protection: Protective gloves according to EN 374 are recommended  
Splash guard:  
Disposable gloves made of nitrile rubber (thickness 0.11 mm)  
Permanent contact (> 480 min):  
Protective gloves made of nitrile rubber (thickness 0.40 mm)

Other skin protection: Not necessary when used as intended.

Respiratory protection: Not necessary when used as intended.

Thermal hazards: No special protective measures necessary.

## Environmental exposure controls

Do not discharge into drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance:	clear, colourless aerosol
Odour:	alcoholic
Odour threshold:	no data available
pH (undiluted):	3.0 – 3.5 (20 °C)
Melting point/freezing point:	no data available
Initial boiling point and boiling range:	no data available
Flash point:	23 °C
Evaporation rate:	no data available
Flammability (solid, gas):	not applicable
Lower explosive limit:	Ethanol: 3 vol%
Upper explosive limit:	Ethanol: 15 vol%
Vapour pressure:	no data available (... °C)
Vapour density:	no data available
Relative density:	0.880 – 0.890 (20 °C)
Solubility in water:	completely soluble
Partition coefficient: n-octanol/water	not applicable
Auto-ignition temperature:	not applicable
Decomposition temperature:	no data available
Viscosity:	no data available
Explosive properties:	The product is not explosive. However, formation of explosive vapour/air mixtures is possible.
Oxidising properties:	none

### 9.2. Other information

Refractive index nD:	1.3625 – 1.3645 (20 °C)
Electrical conductivity (undiluted):	130 – 170 µS/cm (20 °C)

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions when handled and stored as intended.

### 10.2. Chemical stability

The product is stable when handled and stored as intended.

### 10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

### 10.4. Conditions to avoid

Keep away from heat and sources of ignition.

### 10.5. Incompatible materials

None known

### 10.6. Hazardous decomposition products

Does not decompose when used as intended.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

##### Product

Acute toxicity - oral:	Acute Toxicity Estimate ATE <sub>mix</sub> > 2000 mg/kg => no classification
Acute toxicity - dermal:	Acute Toxicity Estimate ATE <sub>mix</sub> > 2000 mg/kg => no classification
Acute toxicity - inhalation:	Acute Toxicity Estimate ATE <sub>mix</sub> > 20 mg/l => no classification

##### Ingredients

#### Methanol (CAS No: 67-56-1):

Acute toxicity - oral:	LD <sub>50</sub> : 5628 mg/kg; species: rat
Acute toxicity - oral:	LD <sub>Lo</sub> : 143 mg/kg; species: human
Acute toxicity - inhalation:	LC <sub>50</sub> : 128 mg/l; species: rat; 4 h
Acute toxicity - dermal:	LD <sub>50</sub> : 15800 mg/kg; species: rabbit

#### Formic acid (CAS No: 64-18-6):

Acute toxicity - oral:	LD <sub>50</sub> : 730 mg/kg; species: rat; method: OECD 401
Acute toxicity - inhalation:	LC <sub>50</sub> : 7.85 mg/l; species: rat; 4 h; vapour; method: OECD 403

#### N,N-Didecyl-N-methylpoly(oxyethyl)ammonium propionate (CAS No: 94667-33-1):

Acute toxicity - oral:	LD <sub>50</sub> : 1157 mg/kg; species: rat; method: OECD 401
------------------------	---

#### N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS No: 2372-82-9):

Acute toxicity - oral:	LD <sub>50</sub> : 261 mg/kg; species: rat; method: OECD 401
Acute toxicity - dermal:	LD <sub>50</sub> : > 600 mg/kg; species: rat; method: OECD 402

#### Phosphoric acid (CAS No: 7664-38-2):

Acute toxicity - oral:	LD <sub>50</sub> : 300 - 2000 mg/kg; species: rat; method: OECD 423
------------------------	---



# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

## Skin corrosion/irritation

Product

No classification. [calculation method]

## Serious eye damage/irritation

Product

Causes serious eye irritation. [calculation method]

## Respiratory or skin sensitisation

Product

No classification. [calculation method]

## Germ cell mutagenicity

Product

No data available.

## Carcinogenicity

Product

No data available.

## Reproductive toxicity

Product

No data available.

## STOT-single exposure

Product

No classification. [calculation method]

Ingredients

Propan-2-ol (CAS No: 67-63-0):

May cause drowsiness or dizziness.

Methanol (CAS No: 67-56-1):

Causes damage to organs: optic nerve, central nervous system

## STOT-repeated exposure

Product

No classification. [calculation method]

Ingredients

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine (CAS No: 2372-82-9):

NOAEL: 9 mg/kg; Application Route: Oral; Exposure period: 90 d; species: rat

NOAEL: 20 mg/kg; Application Route: Food; Exposure period: 90 d; species: dog

NOAEL: 15 mg/kg; Application Route: Skin; Exposure period: 90 d; species: rat

## Aspiration hazard

Product

No data available.

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

## SECTION 12: Ecological information

### 12.1. Toxicity

No classification. [calculation method]

### 12.2. Persistence and degradability

Biodegradability:

The product is biodegradable according to OECD criteria. The statement has been derived from the properties of the ingredients.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

### 12.6. Other adverse effects

No data available.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal of the product

Product residues must be disposed of as hazardous waste in compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not dispose of via the waste water. Leave product in the original container as possible. Do not mix with other waste materials.

Waste codes / waste designations according to EWC

Product residues: 16 05 04\* gases in pressure containers (including halons) containing hazardous substances

#### Disposal of the packaging

Packaging contaminated with product is considered as hazardous waste and must be disposed of accordingly.

Waste codes / waste designations according to EWC

Contaminated packaging: 15 01 10\* packaging containing residues of or contaminated by hazardous substances

Recommendation

Contaminated pressurized containers must be emptied optimally and can be recycled.

## SECTION 14: Transport information

### 14.0. Transport classification

Dangerous good in sense of the transport regulations in road traffic (ADR), railway traffic (RID), inland waterway traffic (ADN), maritime traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR).

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

## 14.1. UN number

UN 1950

## 14.2. UN proper shipping name

### ADR/RID/ADN

AEROSOLS, flammable

### IMDG-Code

AEROSOLS

### ICAO-TI/IATA-DGR

Aerosols, flammable

## 14.3. Transport hazard class(es)

Class: 2.1

Subsidiary risk(s): -

## 14.4. Packing group

-

## 14.5. Environmental hazards

### ADR/RID/ADN

Environmentally Hazardous: No

### IMDG-Code

Marine Pollutant: No

## 14.6. Special precautions for user

Not necessary.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## 14.8. Further information

Transport category according to ADR section 1.1.3.6: 2

Maximum total quantity per transport unit  
according to ADR section 1.1.3.6: 333 L

Limited quantity (Maximum quantity per inner  
packaging) according to ADR/RID/ADN/IMDG-Code: 1 L

Classification code according to ADR/RID/ADN: 5F

Hazard identification number according to  
ADR/RID: -

Tunnel restriction code according to ADR/RID: D

Segregation group according to IMDG-Code  
section 5.4.1.5.11.1: -

EmS codes: F-D, S-U

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**  
Issue/Revision: 20.05.2021  
Print date: 17.09.2021

Version: 2.4  
Replaces version: 2.3

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU-Regulations

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer  
not applicable

REGULATION (EC) No 850/2004 on persistent organic pollutants and amending Directive 79/117/EEC  
not applicable

REGULATION (EU) No 649/2012 concerning the export and import of hazardous chemicals  
not applicable

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

<i>Hazard category</i>	<i>Qualifying quantity (tonnes) (lower-tier establishment)</i>	<i>Qualifying quantity (tonnes) (upper-tier establishment)</i>
P3b FLAMMABLE AEROSOLS	5.000 (net)	50.000 (net)

DIRECTIVE 2010/75/EU on industrial emissions (integrated pollution prevention and control)  
not applicable

REACH – List of substances subject to authorisation (Annex XIV)  
not applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)  
not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection of young people at work  
not applicable

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding  
not applicable

### 15.2. Chemical safety assessment

For this mixture no chemical safety assessment has been carried out.

## SECTION 16: Other information

### 16.1. Full text of hazard classes and H-phrases

#### Hazard classes

Acute Tox.	Acute toxicity
Aerosol	Aerosol
Aquatic Acute	Acute aquatic hazard
Aquatic Chronic	Long-term aquatic hazard
Eye Dam.	Serious eye damage
Eye Irrit.	Eye irritation
Flam. Liq.	Flammable liquid
Met. Corr.	Corrosive to metals
Press. Gas L	Gases under pressure (Liquefied gas)

# Safety data sheet

according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**

Issue/Revision: 20.05.2021

Print date: 17.09.2021

Version: 2.4

Replaces version: 2.3

Skin Corr.	Skin corrosion
Skin Irrit.	Skin irritation
STOT RE	Specific target organ toxicity (repeated exposure)
STOT SE	Specific target organ toxicity (single exposure)

## H-phrases (Hazard statements)

H223	Flammable aerosol.
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H229	Pressurised container: May burst if heated.
H280	Contains gas under pressure; may explode if heated.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H370	Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H371	May cause damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H373	May cause damage to organs <or state all organs affected, if known> through prolonged or repeated exposure <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

## 16.2. Abbreviations and acronyms

ADN	<u>A</u> ccord européen relatif au transport international des marchandises <u>d</u> angereuses par voie de <u>n</u> avigation intérieure (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	<u>A</u> ccord européen relatif au transport international des marchandises <u>d</u> angereuses par <u>r</u> oute (European Agreement concerning the International Carriage of Dangerous Goods by Road)
BGR	<u>B</u> erufsgenossenschaftliche <u>R</u> egeln (English: Employers' liability insurance association rules)
BS	<u>B</u> ritish <u>S</u> tandards
CAS	<u>C</u> hemical <u>A</u> bstracts <u>S</u> ervice
CLP	Regulation on <u>C</u> lassification, <u>L</u> abelling and <u>P</u> ackaging of Substances and Mixtures
[DE]	National German regulations
DGUV	<u>D</u> eutsche <u>G</u> esetzliche <u>U</u> nfall <u>v</u> ersicherung (English: German statutory accident insurance)
EC	<u>E</u> uropean <u>C</u> ommunity
EEC	<u>E</u> uropean <u>E</u> conomic <u>C</u> ommunity
EmS	<u>E</u> mergency <u>S</u> chedules (Emergency response procedures for ships carrying dangerous goods)
EN	European Standard
EU	<u>E</u> uropean <u>U</u> nion
EWC	<u>E</u> uropean <u>W</u> aste <u>C</u> atalogue
GHS	<u>G</u> lobally <u>H</u> armonized <u>S</u> ystem of Classification, Labelling and Packaging of Chemicals
GMBl	<u>G</u> emeinsames <u>M</u> inisterial <u>b</u> latt (English: Joint Ministerial Gazette)
IATA-DGR	<u>I</u> nternational <u>A</u> ir <u>T</u> ransport <u>A</u> ssociation - <u>D</u> angerous <u>G</u> oods <u>R</u> egulations

# Safety data sheet

## according to Regulation (EC) No 1907/2006



Trade name: **WL-cid**

Issue/Revision: 20.05.2021

Print date: 17.09.2021

Version: 2.4

Replaces version: 2.3

IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ICAO-TI	Technical Instructions For The Safe Transport of Dangerous Goods by Air
IMDG-Code	International Maritime Code for Dangerous Goods
LD <sub>50</sub>	Median lethal dose
LD <sub>Lo</sub>	Lowest (known) lethal dose
LGK	Lagerklasse (English: Storage class)
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
NOAEL	No Observed Adverse Effect Level (dose at which no adverse effect is found)
OECD	Organization for Economic Co-operation and Development
PBT	Persistent, bioaccumulative and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire de marchandises Dangereuses (Regulations Concerning the International Carriage of Dangerous Goods by Rail)
TRGS	Technische Regeln für Gefahrstoffe (English: Technical Rules for Hazardous Substances)
UN	United Nations
UTC	Coordinated Universal Time (French: Temps Universel Coordonné)
vPvB	Very persistent and very bioaccumulative

### 16.3. Key literature references and sources for data

- Regulation (EC) No 1907/2006 (REACH), Annex II
- European Chemicals Agency (ECHA) – Guidance on the compilation of safety data sheets; Version 2.1 (February 2014); [http://echa.europa.eu/documents/10162/13643/sds\\_en.pdf](http://echa.europa.eu/documents/10162/13643/sds_en.pdf)
- GISBAU (Hazardous substances information system of the BG BAU) – course „safety data sheet“; <http://www.bgbau.de/gisbau/SDB/lehrgang/lehrgang.htm>
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) – Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008 (04/2011); [http://echa.europa.eu/documents/10162/13562/clp\\_labelling\\_en.pdf](http://echa.europa.eu/documents/10162/13562/clp_labelling_en.pdf)
- European Chemicals Agency (ECHA), Registered substances; <http://echa.europa.eu/information-on-chemicals/registered-substances>
- European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory; <http://echa.europa.eu/information-on-chemicals/cl-inventory-database>
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA): GESTIS database on hazardous substances and GESTIS - International limit values for chemical agents; <http://www.dguv.de/dguv/ifa/index.jsp>
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); <http://webrigoletto.uba.de/rigoletto>

### 16.4. Training advice

Provide adequate information, instructions and training for users.

### 16.5. Indication of changes

A dash in the left hand margin indicates an amendment from the previous version.

---

The information given in the safety data sheet only applies to the described product in connection with its intended use. This information is based on the latest state of our knowledge at the time of revision. In particular, it describes our product under the aspect of its hazards and safety measures to be taken. It does not constitute any guarantee of product properties and quality features.

---