# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024
Version: 3.1
Replaces version: 3.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: AlproJet-D

UFI: PHPH-D4VW-N00E-3R6J

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Cleaning and disinfecting agent

Intended purpose: Liquid concentrate for daily disinfection and simultaneous

cleaning of dental aspiration systems with and without

amalgam separator.

Uses advised against: None at intended use.

Note: The product is intended for professional users.

1.3. Details of the supplier of the safety data sheet

Manufacturer/Supplier: ALPRO MEDICAL GMBH

Mooswiesenstraße 9

D-78112 St. Georgen (Germany) Telephone: +49 7725 9392-0 Telefax: +49 7725 9392-91 E-mail: info@alpro-medical.de Internet: www.alpro-medical.de

E-mail address for the competent person

responsible for the safety data sheet: doku@alpro-medical.de

1.4. Emergency telephone number

In-house emergency telephone number: +49 7725 9392-0

Monday – Friday from 08:00 am to 04:30 pm (UTC+1); for chemical information and legal information on

hazardous substances only

Poison centre: +49 761 19240

Poisoning information centre, Freiburg, Germany

(24 h / 7 d), English is spoken

National Poisons Information Service (UK): +44 344 892 0111

National Poisons Information Service (NPIS) (24 h / 7 d), Medical Professionals Only

National Poisons Information Service (IE): +353 1 837 9964

Poisons Information Centre of Ireland, Dublin (24 h / 7 d), Medical Professionals Only

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification in accordance with Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	Literature research
Skin Corr. 1B; H314	pH value
Aquatic Chronic 3; H412	Calculation method

Full text of hazard classes as well as H-phrases: see under SECTION 16.1.

# according to Regulation (EC) No 1907/2006



Trade name: AlproJet-D Version: 3.1
Issue/Revision: 06.05.2024 Replaces version: 3.0

#### 2.2. Label elements

Label elements in accordance with Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms:



Signal word: Danger

Hazard components

for labelling: 2-Aminoethanol (141-43-5); Benzalkonium chloride (85409-22-9)

H-phrases: H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.
H412 Harmful to aquatic life with long lasting effects.

P-phrases: P260 Do not breathe gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/ eye protection/face

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/ doctor.

P273 Avoid release to the environment.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII (see SECTION 12.5.)

The substances in the mixture have no endocrine disrupting properties according to Regulation (EC) No 1907/2006, Annex XIV (see SECTION 11 and SECTION 12.6.).

The substances in the mixture are below the declaration limit for substances on the list of substances of very high concern according to Regulation (EC) No 1907/2006, Article 59, paragraph 10)

No further hazards known.

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable.

## 3.2. Mixtures

Chemical characterisation: Mixture of substances listed below with non-hazardous additions in

aqueous solution.

according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024
Version: 3.1
Replaces version: 3.0

## **Hazardous ingredients**

Chemical name	Identification numbers	Classification in accordance with Regulation (EC) No 1272/2008	Weight %
2-Aminoethanol	CAS No: 141-43-5 EC No: 205-483-3 Index No: 603-030-00-8 REACH Registration No: 01-2119486455-28-XXXX	Acute Tox. 4; H302 Acute Tox. 4; H312 Skin Corr. 1B; H314 Acute Tox. 4; H332 STOT SE 3; H335 Aquatic Chronic 3; H412	≥1-<2.5
		Specific concentration limits STOT SE 3; H335: $C \ge 5$ %	
		ATE: LD <sub>50</sub> oral: 1089 mg/kg bw LD <sub>50</sub> dermal: 2504 mg/kg bw LC <sub>50</sub> inhalation: > 1.3 mg/L air; vapour	
Trisodium nitrilotriacetate	CAS No: 5064-31-3 EC No: 225-768-6 Index No: 607-620-00-6 REACH Registration No: 01-2119519239-36-XXXX	Met. Corr. 1; H290 Acute Tox. 4; H302 Eye Irrit. 2; H319 Carc. 2; H351 Specific concentration limits	≥1-<2.5
		Carc. 2; H351: C ≥ 5 %  ATE: LD50 oral: 1300 mg/kg bw	
Propan-2-ol	CAS No: 67-63-0 EC No: 200-661-7 Index No: 603-117-00-0 REACH Registration No: 01-2119457558-25-XXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	≥1-<2.5
Benzyl-C12-14-alkyl- dimethylammonium chloride	CAS No: 85409-22-9 EC No: 939-350-2 REACH Registration No: 01-2119970550-39-XXXX	Acute Tox. 4; H302 Skin Corr. 1B; H314 Aquatic Acute 1; H400 Aquatic Chronic 1: H410	≥1-<2.5
		M-Factor acute: 10 M-Factor chronic: 1 ATE: LD50 oral: 350 mg/kg bw	
1-Methoxy-2-propanol	CAS No: 107-98-2 EG No: 203-539-1 Index No: 603-064-00-3 REACH Registration No: 01-2119457435-35-XXXX	Flam. Liq. 3; H226 STOT SE 3; H336	≥ 0.25 - < 1

Full text of hazard classes and H-phrases: see SECTION 16.1.

Occupational exposure limits: see SECTION 8.1.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

General information: First aider: Pay attention to self-protection!

Following inhalation: Move affected person into fresh air and keep still and warm. Seek medical

advice.

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Ussue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

Following skin contact: Wash skin immediately with plenty of water and soap. In case of skin

reactions, consult a physician.

Following eye contact: Flush eyes immediately with flowing water for 10 to 15 minutes holding

eyelids apart. Remove contact lenses, if present and easy to do. Consult an

ophthalmologist.

Following ingestion: Rinse mouth with water. Let drink plenty of water. Do not induce vomiting

(risk of perforation). Consult a physician immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media: Water spray jet, alcohol resistant foam, extinguishing powder,

carbon dioxide (CO<sub>2</sub>)

Unsuitable extinguishing media: Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Hazardous combustion products: Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), nitrogen oxides (NO<sub>x</sub>),

hydrogen chloride (HCI)

5.3. Advice for firefighters

Special protective equipment: Wear self-contained breathing apparatus.

Further information: Cool endangered containers with water spray jet.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# For non-emergency personnel

Use personal protective equipment. See SECTION 8.2.

Avoid skin and eye contact. Special danger of slipping by leaked/spilled product. Evacuate danger area. Observe emergency plans. Consult experts.

# For emergency responders

Use personal protective equipment. See SECTION 8.2.

#### 6.2. Environmental precautions

Do not discharge into drains or surface and ground water.

## 6.3. Methods and material for containment and cleaning up

## Containment

For large spills, dyke spilled material or otherwise contain material to ensure runoff does not reach a waterway. Cover or seal drains.

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

#### Cleaning up

Wipe up small amounts with absorbent material (e.g. cloth, fleece). Absorb large amounts with liquid-binding material (sand, diatomaceous earth, universal binder, sawdust). Collect in suitable, closed containers for disposal. Clean contaminated surfaces thoroughly.

#### Other information

Inappropriate containment and cleaning methods are not known.

#### 6.4. Reference to other sections

Information on safe handling see SECTION 7.1. Information on personal protective equipment see SECTION 8.2. Information on disposal see SECTION 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### **Precautions**

Avoid contact with skin and eyes. Keep container tightly closed. Fill refill packages only in labelled original bottles.

Do not mix with acids or other cleaners or disinfectants.

#### Advice on general occupational hygiene

When using do not eat, drink or smoke. Wash hands before breaks and at end of work. Keep away from medicines, food, feed, cosmetics and stimulants.

#### 7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels: Keep only in the original container. Keep container tightly

closed and kept upright to prevent any leakage.

Advice on common storage: Keep away from food, drink and animal feedingstuffs.

Do not store with acids.

Further information on storage conditions: Store between -10 °C and +40 °C.

## 7.3. Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific end uses are stipulated.

# Industry and sector specific guidance

[DE] TRGS 525 – Hazardous substances in medical care facilities (Section 7 Activities with disinfectants); Issue: September 2014;

Source: GMBI 2014 page 1294-1307 of 13.10.2014 [No 63]; 10.07.2015 [No 27]; www.baua.de

[DE] DGUV rules 207-206 – Prevention of chemical risks when handling disinfectants in health

service, Issue: 2016.12;

Source: https://publikationen.dguv.de

according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Version: 3.1
Issue/Revision: 06.05.2024
Replaces version: 3.0

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

# **Occupational exposure limits**

	Limit values						
Country	Long term (8 hours)		Short term (15		Legal basis	Remarks	
Country			minutes)			Remarks	
	ppm	mg/m³	ррт	mg/m³			
2-Aminoetha	2-Aminoethanol (CAS No: 141-43-5)						
EU	1	2.5	3	7.6	2006/15/EC	skin	
Ireland	1	2.5	3	7.6	HSA, 2021	Sk, IOEVL	
					Code of		
					Practice		
Malta	1	2.5	3	7,6	S.L. 424.24	skin	
UK	1	2.5	3	7.6	EH40	Sk	
Propan-2-ol (	CAS No: 67-6	53-0)					
EU						no limit value specified	
Ireland	200		400		HSA, 2021	Sk	
					Code of		
					Practice		
Malta						no limit value specified	
UK	400	999	500	1250	EH40		
1-Methoxy-2-propanol (CAS-Nr.: 107-98-2)							
EU	100	375	150	568	2000/39/EC	skin	
Ireland	100	375	150	568	HSA, 2021	IOELV	
					Code of		
					Practice		
Malta	100	375	150	568	S.L. 424.24	skin	
UK	100	375	150	560	2000/39/EC	Sk	

## Used abbreviations, symbols, numerals and explanations

IOELV Indicative Occupational Exposure Limit Values

skin A significant uptake of the substance through the skin is possible. [EU] possibility of significant uptakethrough the skin [MT]

Sk Can be absorbed through the skin. [UK] Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body. [IE]

# **Biological limit values**

Country	Parameter	Limit value	Test material	Sampling time	Legal basis
Propan-2-ol (CAS No: 67-63-0)					
Germany	Acetone	25 mg/l	Whole blood	End of exposition, resp. end of shift	TRGS 903
	Acetone	25 mg/l	Urine	End of exposition, resp. end of shift	TRGS 903
1-Methoxy-2-propanol (CAS No: 107-98-2)					
Germany	1-Methoxy-2- propanol	15 mg/l	Whole blood	End of exposition, resp. end of shift	TRGS 903
	1-Methoxy-2- propanol	15 mg/l	Urine	End of exposition, resp. end of shift	TRGS 903

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Ussue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

## Information on monitoring procedures

BS EN 482:2021-04; Title: Workplace exposure - Procedures for the determination of the concentration of chemical agents; British version of EN 482:2021

BS EN 689:2018; Title: Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy; British version of EN 689:2018

BS EN 14042:2003-04-24; Title: Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents; British version of EN 14042:2003)

CEN/TR 17055:2017; Title: Workplace exposure. Measurement of chemical agents complying with the requirements given in EN 482 and either one of EN 838, EN 1076, EN 13205, EN 13890 and EN 13936. Choice of procedures

ISO TR 14294:2011; Title: Workplace atmospheres. Measurement of dermal Exposure. Principles and methods

#### 8.2. Exposure controls

## **Appropriate engineering controls**

#### Technical and organisational protective measures

The eyewash station (or eyewash bottle) must be located near the workplace.

#### Personal protective equipment

Eye/face protection: Safety glasses with side protection according to BS EN 166

Skin protection:

Hand protection: Protective gloves according to BS EN ISO 374-1 and BS EN 21420

Splash guard:

Protective gloves: type C; permeation-resistant at least 10 minutes

Permanent contact (> 480 min):

Protective gloves: type A or B; code letters: G, K, O;

permeation-resistant at least 30 minutes
Long sleeve protective clothing (lab coat)
Not necessary when used as intended

Thermal hazards: No special protective measures necessary

# **Environmental exposure controls**

Do not discharge into drains.

Other skin protection:

Respiratory protection:

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance/physical state: clear, blue liquid

Odour: lemon

Odour threshold: no data available
Melting point/freezing point: no data available
Initial boiling point and boiling range: no data available
Flammability: not applicable
Lower explosive limit: not applicable

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Ussue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

Upper explosive limit: not applicable

Flash point: > 60 °C

Auto-ignition temperature: no data available

pH (50 g/I  $H_2O$ ): 12.0 – 13.0 (20 °C)

Kinematic viscosity: no data available

Solubility in water: completely soluble

Partition coefficient: not applicable

n-octanol/water

Vapour pressure: no data available (...  $^{\circ}$ C) Density: 1.005 – 1.010 g/cm<sup>3</sup> (20  $^{\circ}$ C)

Relative vapour density: no data available
Particle characteristics: not applicable

#### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

Explosive substances/mixtures and products containing

explosives: not applicable Flammable gases: not applicable Aerosols: not applicable Oxidising gases: not applicable Gases under pressure: not applicable Flammable liquids: not applicable Flammable solids: not applicable Self-reactive substances and mixtures: not applicable Pyrophoric liquids: not applicable Pyrophoric solids: not applicable Self-heating substances and mixtures: not applicable

Substances and mixtures, which emit flammable gases

in contact with water:

Oxidising liquids:

Oxidising solids:

Organic peroxides:

not applicable

not applicable

not applicable

Substances and mixtures corrosive to metals: May be corrosive to metals.

[Literature research]

Desensitised explosives: not applicable

9.2.2. Other safety characteristics

Electrical conductivity (50 g/I  $H_2O$ ): 12.5 - 15 mS/cm (20 °C)

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Reacts with acids.

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

#### 10.2. Chemical stability

The product is stable when handled and stored as intended.

## 10.3. Possibility of hazardous reactions

Reacts with acids.

#### 10.4. Conditions to avoid

None known

#### 10.5. Incompatible materials

May be corrosive to metals. [Literature research]

No incompatible materials known when used as intended.

#### 10.6. Hazardous decomposition products

Does not decompose when used as intended.

# **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

#### **Acute toxicity**

**Product** 

Acute toxicity - oral: Acute Toxicity Estimate  $ATE_{mix} > 2000 \text{ mg/kg}$ 

=> no classification

Acute toxicity - dermal: Acute Toxicity Estimate  $ATE_{mix} > 2000 \text{ mg/kg}$ 

=> no classification

Acute toxicity - inhalation: Acute Toxicity Estimate ATE<sub>mix</sub> > 20 mg/l

=> no classification

Ingredients

2-Aminoethanol (CAS No: 141-43-5):

Acute toxicity - oral: LD50: 1089 mg/kg bw; species: rat; strain: Sprague-Dawley;

method: OECD 401

Acute toxicity – dermal: LD<sub>50</sub>: 2504 mg/kg bw; species: rabbit; strain: New Zealand

White; method: OECD 402

Acute toxicity - inhalation: LC<sub>50</sub>: > 1.3 mg/l air; species: rat; strain: Sprague-Dawley;

6 h; vapour

Trisodium nitrilotriacetate (CAS No: 5064-31-3):

Acute toxicity - oral: LD<sub>50</sub>: 1300 mg/kg bw; species: rat; strain: Sprague-Dawley; method:

**EPA OPP 81-1** 

Benzyl-C12-14-alkyldimethylammonium chloride (CAS No: 85409-22-9):

Acute toxicity - oral: LD50: 350 mg/kg bw; species: rat; strain: Sprague-Dawley; method:

**OECD 401** 

#### Skin corrosion/irritation

**Product** 

Causes severe skin burns. [calculation method]

## Serious eye damage/irritation

**Product** 

Causes serious eye damage. [calculation method]

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024
Version: 3.1
Replaces version: 3.0

## Respiratory or skin sensitisation

**Product** 

No data available.

# Germ cell mutagenicity

**Product** 

No data available.

## Carcinogenicity

Product

No classification. [calculation method]

Ingredients

Trisodium nitrilotriacetate (CAS No: 5064-31-3):

Acute toxicity – dermal: NOAEL: 9 mg/kg bw/d; species: rat; strain: Fischer 344; oral intake;

target organ: kidney; method: study

## Reproductive toxicity

Product

No data available.

#### STOT-single exposure

Product

No classification. [calculation method]

Ingredients

2-Aminoethanol (CAS No: 141-43-5):

May cause respiratory irritation.

1-Methoxy-2-propanol (107-98-2) and propan-2-ol (CAS No: 67-63-0):

May cause drowsiness or dizziness.

## STOT-repeated exposure

**Product** 

No data available.

# **Aspiration hazard**

Product

No data available.

#### Information on other hazards

Endocrine disrupting properties:

No substances are contained that have endocrine disrupting properties for humans.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Product

Harmful to aquatic life with long lasting effects. [calculation method]

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

## Ingredients

2-Aminoethanol (CAS No: 141-43-5):

PNEC aqua (freshwater): PNEC 0.07 mg/L; assessment factor 10; extrapolation method:

assessment factor; PNEC freshwater (intermittent releases) 0.028 mg/L.

PNEC aqua (marine water): PNEC 0.007 mg/L; assessment factor 100;

extrapolation method: assessment factor

PNEC STP: PNEC 100 mg/L; assessment factor 10;

extrapolation method: assessment factor

PNEC sediment (freshwater): PNEC 0.357 mg/kg sediment dw; extrapolation method:

equilibrium partitioning method

PNEC sediment (marine water): PNEC value 0.036 mg/kg sediment dw; extrapolation method:

equilibrium partitioning method

PNEC soil: PNEC 1.29 mg/kg soil dw; assessment factor 1000;

extrapolation method: assessment factor

Benzyl-C12-14-alkyldimethylammonium chloride (CAS No: 85409-22-9):

PNEC aqua (freshwater): PNEC 0.42 µg/L; assessment factor 10; extrapolation method:

assessment factor; PNEC freshwater (intermittent releases)

 $0.16 \, \mu g/L$ .

PNEC agua (marine water): PNEC 0.096 μg/L; assessment factor 1000; extrapolation method:

assessment factor; PNEC freshwater (intermittent releases)

0.207 μg/L.

PNEC STP: PNEC 160 µg/L; assessment factor 10; extrapolation method:

assessment factor

PNEC sediment (freshwater): PNEC 68 mg/kg sediment dw; extrapolation method: equilibrium

partitioning method

PNEC sediment (marine water): PNEC value 15.75 mg/kg sediment dw; extrapolation method:

equilibrium partitioning method

PNEC soil: PNEC 1.66 mg/kg soil dw; assessment factor 50; extrapolation

method: assessment factor

## 12.2. Persistence and degradability

**Product** 

No data available.

Ingredients

2-Aminoethanol (CAS No: 141-43-5):

The product is biodegradable according to OECD criteria.

Benzyl-C12-14-alkyldimethylammonium chloride (CAS No: 85409-22-9):

Readily biodegradable.

## 12.3. Bioaccumulative potential

**Product** 

No data available.

Ingredients

2-Aminoethanol (CAS No: 141-43-5):

No potential for bioaccumulation

Benzyl-C12-14-alkyldimethylammonium chloride (CAS No: 85409-22-9):

Low potential for bioaccumulation.

# 12.4. Mobility in soil

No data available.

Page 11/16

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to Regulation (EC) No 1907/2006, Annex XIII.

#### 12.6. Endocrine disrupting properties

No substances are contained that have endocrine disrupting properties for non-target organisms.

#### 12.7. Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# Disposal of the product

Product residues must be disposed of as hazardous waste in compliance with the Directive 2008/98/EC on waste as well as national and regional regulations. Do not dispose of via the waste water. Leave product in the original container as possible. Do not mix with other waste materials.

Waste codes / waste designations according to EWC

Product residues: 16 10 03\* aqueous concentrates containing hazardous substances

#### Disposal of the packaging

Packaging contaminated with product is considered as hazardous waste and must be disposed of accordingly.

Waste codes / waste designations according to EWC

Contaminated packaging: 15 01 10\* packaging containing residues of or contaminated by

hazardous substances

## Recommendation

Contaminated packaging must be emptied optimally and can be recycled after appropriate cleaning (rinse with water).

From a dilution to 1 % the concentrate is no longer classified as a hazardous substance.

#### **SECTION 14: Transport information**

## 14.0. Transport classification

No dangerous good in sense of the transport regulations in road traffic (ADR), railway traffic (RID), inland waterway traffic (ADN), maritime traffic (IMDG-Code) and air traffic (ICAO-TI/IATA-DGR). (according to ADR 2.2.8.1.6.3.5)

## 14.1.UN number

-

#### 14.2. UN proper shipping name

-

# 14.3. Transport hazard class(es)

\_

# 14.4. Packing group

\_

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

14.5. Environmental hazards

-

14.6. Special precautions for user

\_

14.7. Maritime transport in bulk according to IMO instruments

\_

14.8. Further information

-

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-Regulations**

REGULATION (EC) No 1005/2009 on substances that deplete the ozone layer

not applicable

REGULATION (EC) No 2019/1021 on persistent organic pollutants

not applicable

REGULATION (EU) No 649/2012 concerning the export and import of hazardous chemicals

not applicable

REGULATION (EU) No 648/2004 on detergents

Cationic surfactants: < 5 % Anionic surfactants: < 5 % NTA (nitrilotriacetic acid): < 5 %

Disinfectants Perfumes

DIRECTIVE 2012/18/EU (Seveso III Directive) on the control of major-accident hazards involving dangerous substances, amending and subsequently repealing Council Directive 96/82/EC

not applicable

DIRECTIVE 2010/75/EU on industrial emissions (integrated pollution prevention and control)

VOC content: < 5 %

REACH - List of substances subject to authorisation (Annex XIV)

not applicable

REACH – Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

not applicable

COUNCIL DIRECTIVE 94/33/EC on the protection of young people at work

not applicable

COUNCIL DIRECTIVE 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding

not applicable

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Version: 3.1
Issue/Revision: 06.05.2024
Replaces version: 3.0

## 15.2. Chemical safety assessment

For this mixture no chemical safety assessment has been carried out.

#### **SECTION 16: Other information**

#### 16.1. Full text of hazard classes and H-phrases

#### **Hazard classes**

Acute Tox. Acute toxicity

Aquatic Acute Acute aquatic hazard Aquatic Chronic Chronic aquatic toxicity

Carc. Carcinogenicity
Eye Dam. Serious eye damage
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquid
Met. Corr. Corrosive to metals
Skin Corr. Skin corrosion
STOT SE Specific target organ

STOT SE Specific target organ toxicity (single exposure)

## **H-phrases (Hazard statements)**

. p a.c.c. (.	
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" td="" that<=""></state>
	no other routs of exposure cause the hazard>.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

# 16.2. Abbreviations and acronyms

**EWC** 

European Waste Catalogue

ADN	Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route
	(European Agreement concerning the International Carriage of Dangerous Goods by Road)
BS	<u>B</u> ritish <u>S</u> tandards
bw	<u>b</u> ody <u>w</u> eight
CAS	<u>C</u> hemical <u>A</u> bstracts <u>S</u> ervice
CLP	Regulation on Classification, Labelling and Packaging of Substances and Mixtures
[DE]	National German regulations
DGUV	<u>Deutsche Gesetzliche Unfallversicherung</u> (English: German statutory accident insurance)
dw	<u>d</u> ry <u>w</u> eight
EC	<u>European Community</u>
EEC	European Economic Community
EN	European Standard
EU	<u>E</u> uropean <u>U</u> nion

# according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024

Version: 3.1

Replaces version: 3.0

GMBI Gemeinsames Ministerialblatt (English: Joint Ministerial Gazette)

HSA <u>H</u>ealth and <u>S</u>afety <u>A</u>uthority, Ireland

IATA-DGR International <u>Air Transport Association - Dangerous Goods Regulations</u>
ICAO-TI Technical Instructions For The Safe Transport of Dangerous Goods by Air

IMDG-Code International Maritime Code for Dangerous Goods

LC<sub>50</sub> Median <u>lethal concentration</u>

LD<sub>50</sub> Median <u>l</u>ethal <u>d</u>ose

NOAEL No Observed Adverse Effect Level

OECD Organization for Economic Co-operation and Development

PBT <u>Persistent, bioaccumulative and toxic</u>

ppm Parts per million

PNEC <u>Predicted No Effect Concentration</u>

REACH Registration, Evaluation, Authorisation and Restriction of Chemicals

RID <u>Règlement concernant le transport International ferroviaire de marchandises Dangereuses</u>

(Regulations Concerning the International Carriage of Dangerous Goods by Rail)

TRGS <u>Technische Regeln für Gefahrstoffe</u> (English: Technical Rules for Hazardous Substances)

UFI <u>U</u>nique <u>F</u>ormula <u>I</u>dentifier

UN United Nations

UTC Coordinated Universal Time (French: Temps Universel Coordonné)

VOC Volatile Organic Compounds

vPvB <u>Very persistent and very bioaccumulative</u>

## 16.3. Key literature references and sources for data

- Regulation (EC) No 1907/2006 (REACH), Annex II
- European Chemicals Agency (ECHA) Guidance on the compilation of safety data sheets; Version 4.0 (December 2022); https://echa.europa.eu/documents
- Regulation (EC) No 1272/2008 (CLP regulation)
- European Chemicals Agency (ECHA) Guidance on Labelling and Packaging in accordance with Regulation (EC) No 1272/2008; Version 4.2 (03/2021); https://echa.europa.eu/documents
- European Chemicals Agency (ECHA), Registered substances;
  - https://echa.europa.eu/information-on-chemicals/registered-substances
  - European Chemicals Agency (ECHA), C&L Classification and Labelling Inventory; https://echa.europa.eu/information-on-chemicals/cl-inventory-database
- Institute for Occupational Safety and Health of the German Social Accident Insurance (IFA):
   GESTIS database on hazardous substances and GESTIS International limit values for chemical agents;
   https://www.dguv.de/ifa/index.jsp
- German Environmental Agency (Umweltbundesamt), Section IV 2.4: Office of Documentation and Information on Substances Hazardous to Waters RIGOLETTO (catalogue of Substances Hazardous to Waters); https://webrigoletto.uba.de/rigoletto

# 16.4. Methods according to Article 9 of Regulation (EC) No 1272/2008 for the evaluation of information for classification purposes

Calculation method according to the criteria in Annex I 1272/2008.

Flash point according to EN ISO 2719:2002.

pH value measurement.

Material compatibility and corrosiveness in practical tests

#### 16.5. Training advice

Provide adequate information, instructions and training for users.

# 16.6. Indication of changes

A dash in the left hand margin indicates an amendment from the previous version.

# Safety data sheet according to Regulation (EC) No 1907/2006



Trade name: **AlproJet-D**Issue/Revision: 06.05.2024
Version: 3.1
Replaces version: 3.0

\_\_\_\_\_\_

The information given in the safety data sheet only applies to the described product in connection with its intended use. This information is based on the latest state of our knowledge at the time of revision. In particular, it describes our product under the aspect of its hazards and safety measures to be taken. It does not constitute any guarantee of product properties and quality features.