Printing date 25.03.2019

vivader

Version number 5

Revision: 23.01.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Adhese Universal

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Light-curing, single-component dental adhesive

 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Ivoclar Vivadent AG
 Bendererstrasse 2
 9494 Schaan
 PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, 9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

 \cdot Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements
 Labelling according to Regulation (EC) No 1272/2008
 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: 2-hydroxyethyl methacrylate Bis-GMA
1,10-decandiol dimethacrylate methacrylated phosphoric acid ester 2-dimethylaminoethyl methacrylate
Hazard statements H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

(Contd. on page 2)

GB

Printing date 25.03.2019

Version number 5

Revision: 23.01.2019

Trade name: Adhese Universal

. Procautionary statements

(Contd. of page 1)

1 recumbinary siai	emenus
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	FIF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338	³ IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	<i>Dispose of contents/container in accordance with local/regional/national/international regulations.</i>
· Additional inform	ation:
Medical devices as	defined in Directive 93/42/EEC and which are invasive or used in direct physical contact
with the human bo	dy, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS)
	in the finished state and intended for the final user.
· 2.3 Other hazards	
. Regults of PRT an	d vPvB assassment

lesults of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 868-77-9	2-hydroxyethyl methacrylate	10-25%
EINECS: 212-782-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 36425-15-7	Bis-GMA	10-25%
NLP: 500-089-0	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 64-17-5	ethanol	10-25%
EINECS: 200-578-6	Flam. Liq. 2, H225	
CAS: 6701-13-9	1,10-decandiol dimethacrylate	<i>≥</i> 2.5-<10%
EINECS: 229-745-1	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 85590-00-7	methacrylated phosphoric acid ester	<i>≥</i> 2.5-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 10373-78-1	camphorquinone	<2.5%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 2867-47-2	2-dimethylaminoethyl methacrylate	≥1-<2.5%
EINECS: 220-688-8	Acute Tox. 2, H330; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
- Immediately rinse with water.
- If skin irritation continues, consult a doctor.

· After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

(Contd. on page 3) GB

Printing date 25.03.2019

Version number 5

Revision: 23.01.2019

Trade name: Adhese Universal

(Contd. of page 2)

• After swallowing:

Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- +4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Only adequately trained personnel should handle this product. For use in dentistry only.
- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Protect from exposure to the light.
- Keep container tightly sealed.
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB –

Printing date 25.03.2019

Version number 5

Revision: 23.01.2019

Trade name: Adhese Universal

(Contd. of page 3)

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories. Keep away from foodstuffs, beverages and feed.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

• Material of gloves

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Not suitable are gloves made of the following materials:
- Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.
- Eye protection:



Tightly sealed goggles

· 9.1 Information on basic physical and chemical properties · General Information		
Appearance: Form:	Liquid	
Colour:	Yellow	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling ran	ge: Undetermined.	
Flash point:	36 °C (ASTM D7094)	

Printing date 25.03.2019

Version number 5

Revision: 23.01.2019

Trade name: Adhese Universal

		(Contd. of page 4)
• Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- Protect from exposure to the light.

Keep away from heat and direct sunlight.

- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation
- Causes skin irritation.
- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6)

Printing date 25.03.2019

Version number 5

Revision: 23.01.2019

Trade name: Adhese Universal

(Contd. of page 5)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

• Additional ecological information:

· General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· European waste catalogue

18 01 06* chemicals consisting of or containing dangerous substances

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

UN1170
1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION
3 (F1) Flammable liquids.
3
(Contd. on page 7

Printing date 25.03.2019

Version number 5

Revision: 23.01.2019

Trade name: Adhese Universal

	(Contd. of pa
IMDG, IATA	
Class	3 Flammable liquids.
Label	3
14.4 Packing group ADR/RID/ADN, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Warning: Flammable liquids.
Danger code (Kemler): EMS Number:	30 E E S D
	F-E,S-D
14.7 Transport in bulk according to Anna Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 1000 ml
Transport category	3
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 mi Maximum net quantity per outer packaging: 1000 ml
UN ''Model Regulation'':	UN1170, ETHANOL SOLUTION (ETHYL ALCOHOL
-	SOLUTION), 3, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

- · Other regulations, limitations and prohibitive regulations
- The product is a medical device according to the Directive 93/42/EEC.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB

Printing date 25.03.2019

Version number 5

Revision: 23.01.2019

Trade name: Adhese Universal

(Contd. of page 7)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H330 Fatal if inhaled. H335 May cause respiratory irritation. Classification according to Regulation (EC) No 1272/2008 The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * * Data compared to the previous version altered.

Printing date 07.05.2015

×

Version number 2

Revision: 12.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Variolink Esthetic DC (Base)

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- · Application of the substance / the mixture Dual-curing resin-based dental luting material
- \cdot 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* Ivoclar Vivadent AG Bendererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- \cdot Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: urethane dimethacrylate ytterbium trifluoride
1,10-decandiol dimethacrylate
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P363 Wash contaminated clothing before reuse.
P333+P313 If skin irritation or rash occurs; Get medical advice/attention.

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Base)

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

· 2.3 Other hazards

×

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 13760-80-0	ytterbium trifluoride	10-<25%
EINECS: 237-354-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	urethane dimethacrylate	3-<10%
EINECS: 276-957-5	Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
CAS: 6701-13-9	1,10-decandiol dimethacrylate	3-<10%
EINECS: 229-745-1	Eye Irrit. 2, H319; Skin Sens. 1, H317	
	acetyl-2-thiourea	0.3-<1%
EINECS: 209-699-9	Acute Tox. 2, H300	
Additional information	ion. For the wording of the listed rick physics refer to section 16	

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:

Rinse with water.

If skin irritation continues, consult a doctor.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.

If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

GB

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Base)

(Contd. of page 2)

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Only adequately trained personnel should handle this product.

For use in dentistry only.

- Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- \cdot Further information about storage conditions:
- Protect from exposure to the light.
- Protect from heat and direct sunlight.

Keep container tightly sealed.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

GB

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Base)

(Contd. of page 3)

After use of gloves apply skin-cleaning agents and skin cosmetics.

• *Material of gloves* The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

· Eye protection: Safety glasses

9.1 Information on basic physical and chemical properties		
General Information		
Appearance:		
Form: Colour:	Pasty	
Colour: Odour:	According to product specification Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
•		
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density at 20 °C:	1.8567 g/cm ³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Nearly insoluble.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
9.2 Other information	No further relevant information available.	

(Contd. on page 5)

GB

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Base)

(Contd. of page 4)

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

Stable under normal handling and storage conditions.

- Photoreactive (Danger of polymerization).
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- Protect from exposure to the light.
- Keep away from heat and direct sunlight.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitisation: Sensitisation possible through skin contact.
- Additional toxicological information: No further relevant information available.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- *Recommendation* Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.
- · Uncleaned packaging:
- *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 6)

Version number 2

Revision: 12.03.2015

(Contd. of page 5)

Trade name: Variolink Esthetic DC (Base)

SECTION 14: Transport information	
- 14.1 UN-Number - ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	x II of Not applicable.
Transport/Additional information:	Product is not classified as a dangerous good for transpor (ADR, IMDG, IATA).
UN "Model Regulation":	_

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

• Other regulations, limitations and prohibitive regulations

- The product is a medical device according to the Directive 93/42/EEC.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

×

- H300 Fatal if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H412 Harmful to aquatic life with long lasting effects.
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- Acute Tox. 2: Acute toxicity, Hazard Category 2 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- *Eye Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2*

(Contd. on page 7)

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Base)

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

 $\cdot \ast$ Data compared to the previous version altered.

(Contd. of page 6)

GB

Printing date 07.05.2015

vivader

Version number 2

Revision: 12.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Variolink Esthetic DC (Catalyst)

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Dual-curing resin-based dental luting material

 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Ivoclar Vivadent AG

Bendererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

Hazard-determining components of labelling: urethane dimethacrylate ytterbium trifluoride
1,10-decandiol dimethacrylate
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.
Precautionary statements
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P363 Wash contaminated clothing before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 2)

GB

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Catalyst)

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international P501 regulations.

• Additional information:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components:		
CAS: 13760-80-0	vtterhium tri	

•		
	ytterbium trifluoride	10-<25%
EINECS: 237-354-2	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
	urethane dimethacrylate	3-<10%
EINECS: 276-957-5	Eye Irrit. 2, H319; Skin Sens. 1, H317; Aquatic Chronic 3, H412	
	1,10-decandiol dimethacrylate	3-<10%
EINECS: 229-745-1	Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 80-15-9	α,α -dimethylbenzyl hydroperoxide	1-<2.5%
EINECS: 201-254-7	<i>Org. Perox. EF, H242; Acute Tox. 3, H331; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H312</i>	
 4 1 11 4 1 1 0		

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact:
- Rinse with water.
- If skin irritation continues. consult a doctor.
- After eve contact: Rinse opened eve for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Catalyst)

- (Contd. of page 2) 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters

• *Protective equipment:* No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Only adequately trained personnel should handle this product. For use in dentistry only.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles:* Store only in the original receptacle.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from exposure to the light. Protect from heat and direct sunlight.
- Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice. Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- Protection of hands:



Protective gloves

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Catalyst)

(Contd. of page 3) The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Not suitable are gloves made of the following materials:

Commercial medical gloves do not provide protection against the sensitizing effect of methacrylates.

• Eye protection: Safety glasses

9.1 Information on basic physical and chemical properties			
General Information			
Appearance: Form:	Pasty		
Colour:	According to product specification		
Odour:	Characteristic		
Odour threshold:	Not determined.		
pH-value:	Not applicable.		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	Undetermined.		
Flash point:	Not applicable.		
Flammability (solid, gaseous):	Not determined.		
Self-igniting:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapour pressure:	Not applicable.		
Density at 20 °C:	1.8705 g/cm ³		
Relative density	Not determined.		
Vapour density	Not applicable.		
Evaporation rate	Not applicable.		
Solubility in / Miscibility with			
water:	Nearly insoluble.		
Partition coefficient (n-octanol/wat	er): Not determined.		
Viscosity:			
Dynamic:	Not applicable.		
Kinematic:	Not applicable.		

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

(Contd. of page 4)

Trade name: Variolink Esthetic DC (Catalyst)

• 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable under normal handling and storage conditions.
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid

Protect from exposure to the light.

Keep away from heat and direct sunlight.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

· LD/LC50 values relevant for classification:

80-15-9 α,α -dimethylbenzyl hydroperoxide

-	•	1
Oral	LD50	382 mg/kg (rat)
	LD50	500 mg/kg (rat)
Inhalative	LC50/4 h	220 mg/l (rat)

· Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

- · Sensitisation: Sensitisation possible through skin contact.
- · Additional toxicological information: No further relevant information available.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Catalyst)

(Contd. of page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

• Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport informat	ion
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.
• Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN "Model Regulation":	-

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

• Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H242 Heating may cause a fire.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

(Contd. on page 7)

GB

Printing date 07.05.2015

Version number 2

Revision: 12.03.2015

Trade name: Variolink Esthetic DC (Catalyst)

(Contd. of page 6) H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Org. Perox. EF: Organic Peroxides, Types E, F Acute Tox. 4: Acute toxicity, Hazard Category 4 Acute Tox. 3: Acute toxicity, Hazard Category 3 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eve Irrit. 2: Serious eve damage/eve irritation, Hazard Category 2 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2 Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3 • * Data compared to the previous version altered.

Printing date 07.05.2015

Version number 2

Revision: 16.03.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Variolink Esthetic Try-In

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

- Application of the substance / the mixture Water-soluble glycerine try-in paste
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Ivoclar Vivadent AG
 Bendererstrasse 2
 FL-9494 Schaan
 PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

• Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

· Signal word Void

· Hazard statements Void

• Additional information:

Medical devices as defined in Directive 93/42/EEC and which are invasive or used in direct physical contact with the human body, are exempted from the provisions of Regulation (EC) No 1272/2008 (CLP/GHS) usually if they are in the finished state and intended for the final user.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Dangerous compone	11151			
CAS: 56-81-5 EINECS: 200-289-5	0.2	substance with a Community workplace exposure limit	50-100%	
· Additional informati	on: For the wording o	f the listed risk phrases refer to section 16.		

(Contd. on page 2)

GR



Printing date 07.05.2015

Version number 2

Revision: 16.03.2015

Trade name: Variolink Esthetic Try-In

(Contd. of page 1)

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: No special measures required.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Rinse with water.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- *After swallowing: Rinse out mouth and then drink plenty of water.*
- If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Pick up mechanically.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Only adequately trained personnel should handle this product. For use in dentistry only.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- Information about storage in one common storage facility: Store away from oxidising agents.
- Further information about storage conditions:
- This product is hygroscopic.

Keep container tightly sealed. Protect from heat and direct sunlight.

Printing date 07.05.2015

Version number 2

Revision: 16.03.2015

(Contd. of page 2)

Trade name: Variolink Esthetic Try-In

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 56-81-5 glycerol

WEL Long-term value: 10 mg/m³

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Usual hygienic measures for dental practice. Wash hands before breaks and at the end of work. Keep away from foodstuffs, beverages and feed. Avoid contact with the skin.
- Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- **Recommended filter device for short term use:** Combination filter A-P2
- Combination filter A-P3
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance: Form:

Colour: • Odour: Pasty According to product specification Characteristic

(Contd. on page 4)

GB

Printing date 07.05.2015

Version number 2

Revision: 16.03.2015

Trade name: Variolink Esthetic Try-In

		(Contd. of page
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not determined.	
Density:	Not determined.	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Partly soluble.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

• 10.2 Chemical stability Stable under normal handling and storage conditions.

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

 \cdot 10.3 Possibility of hazardous reactions Reacts with strong oxidising agents.

• 10.4 Conditions to avoid Keep away from heat and direct sunlight.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity:

• Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: No irritating effect.

• Sensitisation: No sensitising effects known.

• Additional toxicological information: No further relevant information available.

(Contd. on page 5)

Printing date 07.05.2015

Version number 2

Revision: 16.03.2015

Trade name: Variolink Esthetic Try-In

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on and a second s
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	Product is not classified as a dangerous good for transpor (ADR, IMDG, IATA).
· UN ''Model Regulation'':	-

(Contd. on page 6)

Printing date 07.05.2015

Version number 2

Revision: 16.03.2015

Trade name: Variolink Esthetic Try-In

(Contd. of page 5)

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

*

· Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

 \cdot * Data compared to the previous version altered.

GB

Printing date 22.09.2016

vivader

Version number 3

Revision: 21.09.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name: Monobond Etch & Prime

• 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

 $\cdot \textit{Application of the substance}$ / the mixture Ceramic primer

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2

Benaererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008Flam. Liq. 3H226Flammable liquid and vapour.Skin Corr. 1CH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.Skin Sens. 1H317May cause an allergic skin reaction.STOT SE 3H335-H336May cause respiratory irritation. May cause drowsiness or dizziness.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Danger

Hazard-determining components of labelling: Tetrabutylammonium Dihydrogen Trifluoride Methacrylated phosphoric acid ester butanol

· Hazard statements

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

· Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)

Printing date 22.09.2016

Version number 3

Revision: 21.09.2016

Trade name: Monobond Etch & Prime

(Contd. of page 1) P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310

Immediately call a POISON CENTER/doctor.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 78-92-2	butanol	10-<25%
	Flam. Liq. 3, H226; Eye Irrit. 2, H319; STOT SE 3, H335-H336	
CAS: 99337-56-1	Tetrabutylammonium Dihydrogen Trifluoride	<i>≤10%</i>
	Skin Corr. 1C, H314; Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	
CAS: 85590-00-7	Methacrylated phosphoric acid ester	3-<10%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
	Bis(triethoxysilyl)ethane	1-<2.5%
EINECS: 240-212-2		
Additional information	ion. For the wording of the listed hazard phrases refer to section 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.

Seek immediate medical advice.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents:

- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 22.09.2016

Version number 3

Revision: 21.09.2016

(Contd. of page 2)

Trade name: Monobond Etch & Prime

· 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Only adequately trained personnel should handle this product. For use in dentistry only. Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- *Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.*
- · 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 78-92-2 butanol

WEL Short-term value: 462 mg/m³, 150 ppm

Long-term value: 308 mg/m³, 100 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Usual hygienic measures for dental practice and dental laboratories.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 22.09.2016

Version number 3

Revision: 21.09.2016

Trade name: Monobond Etch & Prime

(Contd. of page 3)

Immediately remove all soiled and contaminated clothing Avoid contact with the eyes and skin. • Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

After use of gloves apply skin-cleaning agents and skin cosmetics.

· Material of gloves

Fluorocarbon rubber (Viton)

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- •9.1 Information on basic physical and chemical properties · General Information

· Appearance: Form:	Liquid
Colour:	Green
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
· Flash point:	34 °C
· Flammability (solid, gaseous):	Not applicable.
·Self-igniting:	Product is not selfigniting.
Danger of explosion:	<i>Product is not explosive. However, formation of explosive air/vapour mixtures are possible.</i>
· Explosion limits:	
Lower:	1.7 Vol %
Upper:	9.8 Vol %

Printing date 22.09.2016

Version number 3

Revision: 21.09.2016

Trade name: Monobond Etch & Prime

		(Contd. of page
· Vapour pressure:	Not determined.	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol	/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability Stable under normal handling and storage conditions.
- *Thermal decomposition / conditions to be avoided:* No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- \cdot 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- · STOT-single exposure
- May cause respiratory irritation. May cause drowsiness or dizziness.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.

(Contd. on page 6)

GB

Printing date 22.09.2016

Version number 3

Revision: 21.09.2016

Trade name: Monobond Etch & Prime

(Contd. of page 5)

- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· European waste catalogue

18 01 06* chemicals consisting of or containing dangerous substances

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number ADR,RID,ADN, IMDG, IATA	UN2924
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (BUTANOLS, Tetrabutylammonium Dihydrogen Trifluoride) FLAMMABLE LIQUID, CORROSIVE, N.O.S. (BUTANOLS, Tetrabutylammonium Dihydrogen Trifluoride)
ADR/RID/ADN	3 (FC) Flammable liquids.
Label	3+8
IMDG	
V V	

Version number 3

Revision: 21.09.2016

Trade name: Monobond Etch & Prime (Contd. of page 6) · Label 3/8 ·IATA · Class 3 Flammable liquids. · Label 3 (8) · 14.4 Packing group · ADR,RID,ADN, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: No Warning: Flammable liquids. · 14.6 Special precautions for user · Danger code (Kemler): 38 • EMS Number: F-E, S-C· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR/RID/ADN \cdot Limited quantities (LQ) 5L• Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · Transport category 3 • Tunnel restriction code D/E·IMDG · Limited quantities (LQ) 5L• Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. · UN ''Model Regulation'': (BUTANOLS, Tetrabutylammonium Dihydrogen Trifluoride), 3 (8), III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· National regulations:

· Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

⁻ GB -

Printing date 22.09.2016

Version number 3

Revision: 21.09.2016

Trade name: Monobond Etch & Prime

(Contd. of page 7)

· Relevant phrases	
H226 Flammable liquid and vapour.	
H302 Harmful if swallowed.	
H312 Harmful in contact with skin.	
H314 Causes severe skin burns and eye damage.	
H315 Causes skin irritation.	
H317 May cause an allergic skin reaction.	
H319 Causes serious eye irritation.	
H332 Harmful if inhaled.	
H335 May cause respiratory irritation.	
H336 May cause drowsiness or dizziness.	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International	l
Carriage of Dangerous Goods by Road)	
IMDG. International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Flam. Lig. 3: Flammable liquids – Category 3	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Corr. 1C: Skin corrosion/irritation – Category 1C	
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Eve Irrit, 2: Serious eye damage/eye irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
* Data compared to the previous version altered.	
Dua comparta to inc previous version autrea.	OF
	GB

Printing date 18.05.2017

vivader

Version number 7

Revision: 16.05.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Liquid Strip

• 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

 \cdot Application of the substance / the mixture Water-soluble glycerine paste

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: Ivoclar Vivadent AG Bendererstrasse 2 FL-9494 Schaan PRINCIPALITY OF LIECHTENSTEIN

Tel: +423 235 35 35 *Fax:* +423 235 33 60

 Further information obtainable from: Regulatory Affairs sds@ivoclarvivadent.com
 1.4 Emergency telephone number: +423 / 235 33 13 (Ivoclar Vivadent AG, FL-9494 Schaan, Liechtenstein)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 The product is not classified according to the CLP regulation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008 Void

· Hazard pictograms Void

• Signal word Void

• Hazard statements Void

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• *Description: Mixture of substances listed below with nonhazardous additions.*

· Dangerous components:

CAS: 56-81-5 glycerol EINECS: 200-289-5 substance with a Community workplace exposure limit 50-100%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information: No special measures required.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

 $(Contd. \ on \ page \ 2)$

GB

Printing date 18.05.2017

Version number 7

Revision: 16.05.2017

(Contd. of page 1)

Trade name: Liquid Strip

• After skin contact: Rinse with water.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

+4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Pick up mechanically.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Only adequately trained personnel should handle this product. For use in dentistry only.

• Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Protect from exposure to the light.

Protect from heat and direct sunlight.

- Keep container tightly sealed.
- •7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 56-81-5 glycerol

WEL Long-term value: 10 mg/m³

(Contd. on page 3)

Printing date 18.05.2017

Version number 7

Revision: 16.05.2017

Trade name: Liquid Strip

(Contd. of page 2) • Additional information: The lists valid during the making were used as basis. · 8.2 Exposure controls · Personal protective equipment: • General protective and hygienic measures: Usual hygienic measures for dental practice and dental laboratories. Wash hands before breaks and at the end of work. Avoid contact with the eves and skin. *Keep away from foodstuffs, beverages and feed.* • **Respiratory protection:** Not required. · Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Safety glasses **SECTION 9: Physical and chemical properties** ·9.1 Information on basic physical and chemical properties · General Information · Appearance: Form: Pasty Colour: White · Odour: Characteristic · Odour threshold: Not determined. Not determined. · pH-value: · Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: Undetermined. · Flash point: Not applicable. · Self-igniting: Product is not selfigniting. · Danger of explosion: Product does not present an explosion hazard. · Explosion limits: Lower: Not determined. Not determined. Upper: · Vapour pressure: Not determined. · Density: Not determined. · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined.

(Contd. on page 4)

Printing date 18.05.2017

Version number 7

Revision: 16.05.2017

Trade name: Liquid Strip

		(Contd. of page 3
Solubility in / Miscibility with		
water:	Nearly insoluble.	
Partition coefficient (n-octanol	/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability Stable under normal handling and storage conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid
- Protect from exposure to the light.
- Keep away from heat and direct sunlight.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: None under normal conditions of storage and use.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 5)

GI

Printing date 18.05.2017

Version number 7

Trade name: Liquid Strip

· 12.6 Other adverse effects No further relevant information available.

(Contd. of page 4)

SECTION 13: Disposal considerations

13.1 Waste treatment methods
Recommendation
Take to an approved landfill or a waste incineration plant, under conditions approved by the local authority.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on
· 14.1 UN-Number · ADR,RID,ADN, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR,RID,ADN, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR,RID,ADN, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR,RID,ADN, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Annex Marpol and the IBC Code	x II of Not applicable.
• Transport/Additional information:	Product is not classified as a dangerous good for transport (ADR, IMDG, IATA).
· UN ''Model Regulation'':	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· National regulations:

• Other regulations, limitations and prohibitive regulations

The product is a medical device according to the Directive 93/42/EEC.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 6)

GB -

Printing date 18.05.2017

Version number 7

Revision: 16.05.2017

Trade name: Liquid Strip

(Contd. of page 5)

GB

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

• * Data compared to the previous version altered.