

Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

neodisher IP Spray

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC14 Metal surface treatment products, including galvanic and electroplating products

1.3. Details of the supplier of the safety data sheet

Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG

Mühlenhagen 85 D-20539 Hamburg

Telephone no. +49 40 789 60 0 Fax no. +49 40 789 60 120

www.drweigert.com

E-mail address of person responsible for this SDS:

sida@drweigert.de

1.4. Emergency telephone number

Emergency telephone number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Aerosol 1 H222 STOT SE 3 H336 Aquatic Chronic 2 H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008

2.2. Label elements

Labelling according to regulation (EC) No 1272/2008

Hazard pictograms







Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurized container: may burst if heated.
 H336 May cause drowsiness or dizziness.
 H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P273 Avoid release to the environment.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

Dispose only when container is empty and closed. For disposal of product

residues, refer to safety data sheet.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains aliphatic hydrocarbons, C5-C6

2.3. Other hazards

No special hazards have to be mentioned. The product contains no PBT or vPvB substances.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients

fatty alcohols, ethoxylated

CAS No. 68920-66-1 EINECS no. 500-236-9

Concentration >= 1 < 10 %

Classification (Regulation (EC) No. 1272/2008)

Skin Irrit. 2 H315 Aquatic Acute 1 H400 Aquatic Chronic 3 H412

aliphatic hydrocarbons, C5-C6

CAS No. 64742-49-0 EINECS no. 931-254-9

Registration no. 01-2119484651-34

Concentration >= 25 < 50 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Liq. 2 H225 Skin Irrit. 2 H315 STOT SE 3 H336 Asp. Tox. 1 H304 Aquatic Chronic 2 H411

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note P

Propane

CAS No. 74-98-6 EINECS no. 200-827-9

Concentration < 30 %

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220

Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note U

butane

CAS No. 106-97-8 EINECS no. 203-448-7

Concentration < 30 %



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

Classification (Regulation (EC) No. 1272/2008)

Flam. Gas 1 H220

Press. Gas

Additional remarks:

CLP Regulation (EC) No 1272/2008, Annex VI, Note C, U

paraffin oil

CAS No. 8042-47-5 EINECS no. 232-455-8

Registration no. 01-2119487078-27

Concentration >= 10 < 25 %

Classification (Regulation (EC) No. 1272/2008)

Asp. Tox. 1 H304

Other information

Complete text of hazard statements in chapter 16

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated clothing immediately and dispose of safely. In case of persistent symptoms consult doctor.

After inhalation

Ensure supply of fresh air.

After skin contact

No special measures required.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Seek medical advice immediately.

After ingestion

No special measures required.

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / hazards

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Water spray jet, Foam

Non suitable extinguishing media

Compatible with all usual extinguishing media.

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible. If a fire breaks out nearby, pressure build-up and danger of bursting are possible.

5.3. Advice for firefighters



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus. Wear full protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away sources of ignition. Ensure adequate ventilation. Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil.

6.3. Methods and material for containment and cleaning up

Pick up rest with suitable absorbent materials. Dispose of as prescribed.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide good ventilation of working area (local exhaust ventilation if necessary). Avoid impact, friction and electro-static loading; risk of ignition!. Provide good room ventilation even at ground level (vapours are heavier than air).

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. No smoking. Take action to prevent static discharges.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage temperature

Value > 5 < 30 °C

Requirements for storage rooms and vessels

No special measures required.

Storage classes

Storage class according to 2B Aerosol dispensers

TRGS 510

Further information on storage conditions

Keep container tightly closed. Keep container in a well-ventilated place. Keep in a cool place

7.3. Specific end use(s)

no data

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Pentane

List EH40 Type WEL

Value 1800 mg/m³ 600 ppm(V)

Status: 2011

butane

List EH40 Type WEL



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

Value 1450 mg/m^3 600 ppm(V)Short term exposure limit 1810 mg/m^3 750 ppm(V)

Status: 2011; Remarks: carc if more than 0,1% buta-1,3-diene

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Do not smoke during work time. Do not inhale gases/vapours/aerosols. Do not eat or drink during work time. Storage of foodstuffs in work rooms is forbidden. Take off immediately all contaminated clothing. Wash hands before breaks and after work.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Short term: filter apparatus, filter AX

Hand protection

Not necessary.

Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form Aerosol colourless
Odour characteristic

Odour threshold

Remarks not determined

pH value

Remarks Not applicable

Melting point

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

evaluation not determined

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Remarks not determined

Vapour density



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

Remarks not determined

Density

Value 0,86 g/cm³

Temperature 20 °C

Solubility in water

Remarks slightly soluble

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

evaluation None known

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Protect from heat and direct sunlight. Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

10.5. Incompatible materials

Oxidising agents

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Species rat

LD50 > 2000 mg/kg
Method calculated value (Regulation (EC) No. 1272/2008)



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

evaluation slightly irritant

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

evaluation May cause drowsiness or dizziness.

Aspiration hazard

No special hazards have to be mentioned.

Other information

There is no data available on the product apart from the information given in this subsection.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

Fish toxicity (Components)

fatty alcohols, ethoxylated

Species zebra fish (Brachydanio rerio)

LC50 10 to 100 mg/l

Duration of exposure 96 h

Method OECD 203

aliphatic hydrocarbons, C5-C6

Species Fathead minnow (Pimephales promelas) LC50 2,5 mg/l

Duration of exposure 96 h

Bacteria toxicity (Components)

fatty alcohols, ethoxylated

Species activated sludge

EC50 > 1000 mg/l

Method OECD 209

12.2. Persistence and degradability

General information



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Evaluation of persistance and bioaccumulation potential

The product contains no PBT or vPvB substances.

12.6. Other adverse effects

General information

not determined

General information / ecology

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GΒ

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	D		
14.1. UN number	1950	1950	1950
14.2. UN propershipping name	AEROSOLS, flammable	AEROSOLS, flammable	Aerosols, flammable
14.3. Transport hazard class(es)	2	2.1	2.1
Label	8	8	8
Limited Quantity	11		
Transport category	2		
14.5. Environmental hazards		no	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Major-accident categories acc. 2012/18/EU

Category P3a FLAMMABLE AEROSOLS 150 tonne 500 tonne

VOC

VOC (EU) 0 %

Other information

The product does not contain substances of very high concern (SVHC).

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Hazard statements listed in Chapter 3

H220 Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

CLP categories listed in Chapter 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 2 Hazardous to the aquatic environment, chronic, Category 2
Aquatic Chronic 3 Hazardous to the aquatic environment, chronic, Category 3



Version: 3 / GB Replaces Version: 2 / Date revised: 14.06.2021 Print date: 30.06.21

GB

Asp. Tox. 1 Aspiration hazard, Category 1
Flam. Gas 1 Flammable gas, Category 1
Flam. Liq. 2 Flammable liquid, Category 2
Press. Gas Gases under pressure
Skin Irrit. 2 Skin irritation, Category 2

STOT SE 3 Specific target organ toxicity - single exposure, Category 3

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

IMDG: International Maritime Code for Dangerous Goods

ICAO: International Civil Aviation Organization IATA: International Air Transport Association

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified

by the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container CAS: Chemical Abstracts Service

TSCA: Toxic Substances Control Act (USA)

VOC: Volatile Organic Compound OEL: Occupational exposure limit

ISO: International Organization for Standardization

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

IUCLID: International Uniform Chemical Information Database OECD: Organisation for Economic Co-operation and Development

IMO: International Maritime Organization

WHO: World Health Organization

GHS: Globally Harmonized System of classification and Labelling of Chemicals REACH: Registration, Evaluation, Autohorisation and Restriction of Chemicals

UN: United Nations

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: *** This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.